Golden Grove air quality summary report – October to December 2014

Issued May 2015

Introduction

One of the EPA's environmental goals is clean and healthy air. To support this goal the EPA conducts ambient air quality monitoring at locations around the state.

This report contains a summary of the quarterly air quality based on data from the EPA's mobile monitoring station at Golden Grove. This station was deployed on 16 October 2014. The data, where applicable, is compared to the standards and goals set out in the National Environment Protection (Ambient Air Quality) Measure (NEPM).

Details on the NEPM, along with locations of monitoring stations and the parameters measured at each site can be found on the EPA <u>website</u>:

To assist in interpreting the information provided the following formats have been implemented.

- Values represented in the graphs are the maximum concentration recorded for each day for the given averaging period. Concentrations that are larger than the maximum allowed in the standard are recorded as exceedences.
- Exceedence days in BLACK provide the total number of exceedence days for the year.
- Exceedence days in RED indicate an exceedence of the NEPM standard this current month.
- Exceedence days in BOLD indicate the total number of exceedence days for the year and indicate a breach of the NEPM goal. Bold can be either black or red and once a site has breached the goal all subsequent results for the year will be reported this way.

Pollution from particles is the great concern with emission from industrial sources, motor vehicles and on occasions, from planned burning, bushfires and dust storms.

Total suspended particulate matters (TSP) are particles with an equivalent aerodynamic diameter of less than 50 µm. TSP consists of a mixture of large and fine particles.

Large particle has an equivalent aerodynamic diameter of greater than 10 µm and is a source of nuisance.


Fine particles are often a complex mixture of materials arising from many sources, but are generally grouped into two categories, called PM₁₀ and PM_{2.5}, where the number gives an idea of the range of sizes of particles. Both are able to enter the lungs and are known to have health effects (see <u>particulate matter</u> for further information on the nature and effects of particles).



Meteorology conditions has great effect on particulate dispersion. Specifically, wind speed and direction influent the transport and dispersion of particulate matters.

1.1 Total suspended particles (TSP)

There is no 24-hour NEPM Standard for TSP particles. However, monitoring TSP can indicate the levels of visible nuisance dust in an area. TSP levels were quite moderate for this quarter, well below the WHO guideline of $120 \ \mu g/m^3$.




Golden Grove Daily Average TSP - October to December 2014

1.2 Particles (PM₁₀)

- The 24-hour NEPM Standard for PM₁₀ particles is 50 μg/m³. There was 0 exceedences at Golden Grove this reporting period.
- Total NEPM Exceedence days for 2014

Golden Grove: 0

• This is less than the NEPM Goal of 5 per year.




1.3 Particles (PM_{2.5})

- The 24-hour NEPM Standard for PM_{2.5} particles is 25 μg/m³. There was 0 exceedences at Golden Grove in this reporting period.
- Total NEPM Exceedence days for 2014

Golden Grove: 0


• This is less than the NEPM Goal of 5 per year.

Golden Grove Daily Average PM2.5 - October to December 2014



1.4 PM₁₀ concentration comparison


 PM_{10} data from Golden Grove, Elizabeth and Netley stations was presented in the below graph. The PM_{10} concentration at the three sites was quite similar.



1.5 Meteorology and pollution rose

10-minute wind speed and direction data and PM₁₀ concentration were used for plotting pollution rose.

- In October, most often the wind was from north and south west direction with the strongest speed at 4.8 m/s. High PM₁₀ concentration was obtained when the wind blew from south east direction at the speed between 2 to 4 m/s.
- In November, the predominant wind was from south west with the strongest speed at 4.5 m/s. The majority of high PM10 concentration was obtained when the wind blew from south east and west direction with wind speed between 2 to 4 m/s.
- In December, most often the wind was from south east and south west with the strongest speed at 5.2 m/s. High PM₁₀ concentration was obtained when the wind blew from south west with the speed between 4 to 6 m/s.



Further information

Legislation

Online legislation is freely available. Copies of legislation are available for purchase from:

Service SA Government Legislation Outlet Adelaide Service SA Centre 108 North Terrace Adelaide SA 5000 Telephone:13 23 24Facsimile:(08) 8204 1909Website:<shop.service.sa.gov.au>Email:<ServiceSAcustomerservice@sa.gov.au>

General information

Environment Protection Authority GPO Box 2607 Adelaide SA 5001

Email:	< <u>epainfo@epa.sa.gov.au</u> >
Website:	< <u>www.epa.sa.gov.au</u> >
Freecall:	1800 623 445 (country)
Facsimile:	(08) 8124 4670
Telephone:	(08) 8204 2004