

Section 38 Environment Protection Act 1993

Send completed application to

The Licensing Team
Environment Protection Authority
GPO Box 2607 ADELAIDE SA 5001

Enquiries

Freecall (outside metro): 1800 623 445

Tel: (08) 8204 2058

Email: epalicensing@sa.gov.au Website: www.epa.sa.gov.au

If you are unsure of the requirements of this licence application, contact the Licensing Team on (08) 8204 2058. Further information is available on the EPA website:

epa.sa.gov.au/business_and_industry/licences

Preamble

The EPA is South Australia's environmental regulator.

Our environmental goals are:

- Good quality land
- Good quality water
- Good quality air
- ✓ Safe use of radiation
- ✔ Protection from unacceptable noise
- ✓ Sustainable use of resources

Responsible management of prescribed activities through licensing is integral to achieving our environmental goals.

This licence application covers all the Prescribed Activities licensed by the EPA.

This licence application must be completed in full and signed (on the final page) by an Authorised Person.

AN APPLICATION FEE MUST BE SUBMITTED WITH THIS FORM. This fee comprises two parts.

- 1. A lodgement fee of \$245.00; and
- 2. An assessment fee for the licenced activities as follows:
 - Dredging or Earthworks Drainage \$833.00
 - Waste Transporter (Category A) \$98.00and/or (Category B) \$49.00
 - 20% of the highest fee unit value selected in Part B (environment management component) of this form. A fee unit value of \$964 is current to 30 June 2025.

Note: A maximum penalty of up to \$60 000 applies for providing false or misleading information.

PART A: APPLICATION SECTION 1

1.1	Do you already have an EPA licence? Yes No
1.2	Is this Application for an additional activity on an existing licence?
	Yes No If Yes, state your EPA Licence No
1.3	Are you (please tick ONE)
	a body corporate or company (has an ACN)? a natural person(s)? a statutory body (created by legislation)?
	an incorporated association (created by legislation)?
	NB: Licences can only be issued to a legal entity – not a Trading or Business Name (which has an ABN).
1.4	Full name of applicant(s) to hold the licence (the name(s) to appear on the licence)
	Do you have a Trading or Business name? Yes No ABN:
1.5	Body corporate or company details (if applicable) ACN:
	Address of registered office
	Postcode:
1.6	Postal address for all correspondence
	Postcode:

Email:

Site Location Information

1.7	Who is authorised to act on behalf of the applicant for the licence?		and attach a full copy of the Development Approval (including conditions).
a.	Contact name:		
	Position:		
	Tel:		If No, the EPA will be unable to assess your application
	Email:		until Development Approval or written confirmation has been received.
b.	Contact name:	1.12	Has the applicant complied with the conditions of
	Position:		Development Approval?
	Tel:		Yes No
	Email:		If No, please provide reasons or an explanation as to why compliance has not been achieved. The EPA will be unable to assess your application until Development
C.	Contact name:		Approval or written confirmation has been received.
	Position:		
	Tel:		
	Email:		
(if n	ot enough room, please add additional people in Section 4)		
1.8	Will you be a mobile operator?	1.13	Do you have any other approvals, indentures, licences, or mining leases for the premises?
	Yes No		Yes No N/A
	If Yes, please go to Section 1.13 (unless you also have fixed premises)		If Yes, supply details and attach copies of approvals etc.
1.9	Address of premises where activity will take place Address:		
	Postcode	1.14	Contact person for enquiries relating to this application
	Current Certificate of Title numbers		Contact name:
			Position:
			Tel:
			Email:
	N.B. Please provide a detailed site map (required for mandatory validation of activity location).	SI	ECTION 2:
1.10	Does the applicant(s) own the site?		
	Yes No		ctivity & Emission Details
	If No, from whom are the premises leased or rented?	2.1	Preferred licence commencement date as soon as possible
			on or after (date)
		2.2	What Prescribed Activity(ies) are you applying for? Please tick the appropriate Activity boxes in Part B of this form, and the characteristic level.
1.11	Has full Development Approval or other approval been granted to undertake the activity(ies) at that site(s)?		
	Yes No N/A		

If Yes, supply Development Approval number(s)

If you are selecting Prescribed Activities 3(6)(a) and/or 2.6 Water reuse 3(6)(b) as part of your application, ensure that you Will you discharge more than 10 megalitres of water that is complete details at Section 3. If Prescribed Activities less than 1500 milligrams/litre salinity to marine waters? 3(6)(a) and/or 3(6)(b) are the only licensed activities, there Yes) No is a separate Waste Transporter Only Licence Application. If Yes, state amount (in megalitres) 2.2.1 Will there be a Resource Recovery process? If this activity produces or receives a waste material, will you be seeking approval as a Resources Recovery 2.7 Environmental Management/Impact Statement Facility, i.e. a facility to sort and divert waste direct to What practices (include documentation) and infrastructure landfill, under Division 2 of the Environment Protection will you employ to reduce potential environmental harm (Waste Resources) Policy 2010? arising from your operation? (e.g. pretreatment of waste,) Yes) No dust suppression, pollution control equipment) If Yes, please also complete the Resource Recovery NB: Attach a management plan if applicable. Facility form that is available at: epa.sa.gov.au/business_and_industry/payment_and_forms 2.3 Briefly describe the nature of your operation 2.4 Discharges to the environment To assist in assessing your application, please provide details of any air, noise, liquid or solid emissions expected from your operation 2.5 Will you discharge any waste or effluent to the marine environment?) Yes) No If Yes, provide details (and answer 2.6)

SECTION 3:

Transport of Waste

Only applicable if you are applying for a licence to transport waste for fee or reward – otherwise go to Section 4.

3.1 What types of waste do you intend to transport? (please tick) Solid waste Category Domestic waste (only MGB weekly pickups В on behalf of council) Contaminated soil В Medical waste transport of medical waste not exceeding 40 litres at any one time transport of medical waste exceeding 40 litres at any one time Asbestos - friable Α Asbestos - non friable Α Solid waste (from any commercial or industrial В premises or teaching/research institution other than building or demolition waste) Other waste (please specify) Liquid waste Category Grease trap/vegetable Septic tank effluent В Water/oil mixtures Inert sludge/wool scouring sludge Α Water-based paint sludge PCBs, HCBs, OCPs, etc Waste oil Acids Alkalis Organic solvents Other waste (please specify) 3.2 From which of the following premises will you collect waste? Industrial premises Commercial premises Teaching or research institutions Hospitals Dental, medical or veterinary clinics Other (please specify)

3.3	Do you intend to transport waste into, out of or across South Australian borders?
	Yes No
3.4	Specify vehicles to be used for transport of waste (see 3.1 for category reference)
	Category A
	For transport of 40 litres or less of medical waste per trip
	Make & reg no:
	Make & reg no:
	For any other Category A waste
	Make & reg no:
	Make & reg no:
	Category B
	For any Category B waste
	Make & reg no:
	Make & reg no:
	If there is insufficient space to list all your vehicles,
	include details in the 'Additional Information' section or attach a separate page.
	or attach a separate page.
SI	ECTION 4:
G	eneral Details
4.1	Has the applicant or a director ever contravened this Act or has held an environmental authorisation or other authority that has been cancelled or suspended under this Act or any other environmental legislation in Australia? Yes No
4.2	If the applicant is a body corporate: Has the applicant or a director of the body corporate ever contravened this Act or has held an environmental authorisation or other authority that has been cancelled or suspended under this Act or any other environmental legislation in Australia? Yes No
4.3	Has the applicant been the director of another body corporate that has contravened this Act or has held an environmental authorisation or other authority that has been cancelled or suspended under this Act or any other environmental legislation in Australia? Yes No If Yes, attach full details of the law contravened and the person(s) who committed the contravention (e.g. who, which Act or regulation, date of contravention, any penalty imposed, etc.).
Ad	ditional Information

Part B: Fee Schedules

Environment Management Fee & Assessment Fee Indicator

You need to tick all activities that you are proposing to undertake and characteristics that apply. This information will be used to determine your annual licence fee and for the assessment fee part of your Application Fee. Note that only the highest environment management fee out of all activities carried out on a site will be charged (per site), but that all activities will be included in your licence. Waste transport, dredging and earthworks drainage, if applicable, will be charged separately.

Regulation reference		Characteristics Fe	e units payable
1.1	chemical storage and warehousing facilities	exceeding 200 litres (liquid) or bulk storage where the storage capacity > 1000 cubic metres	3
	a.i chemical works – inorganic	processing capacity > 100 tonnes per year	
		osoda ash works	80
		uranium works, where the main or a significant co-product is ura	nium 20
		other (ie not soda ash or uranium works)	8
	a.ii chemical works – organic	processing capacity > 100 tonnes per year	
		emitting 100 tonnes or more of volatile organic compounds (VOC	C) per year 12
		emitting less than 100 tonnes of VOC per year	8
<u></u>	chemical works – salt production	processing capacity > 5000 tonnes per year	3
1.2.0	chemical works – hydrogen production	production capacity > 100 tonnes per year	8
1.3	coke works		80
	hydrocarbon storage	storage capacity > 2000 cubic metres	10
	hydrocarbon production works	production rate > 20 tonnes per hour	
		1000 tonnes or more of VOC emissions per year	80
		500 tonnes or more per year but less than 1000 tonnes of VOC emiss	ions per year 50
		emitting less than 500 tonnes of VOC emissions per year	8
	petrol stations – retail sales	less than 0.5ML of petroleum products sold per year	0
		0.5 to 1.5ML of petroleum products sold per year	1.5
		> 1.5ML of petroleum products sold per year	3
1.6	timber preservation works	other than light organic solvent preservation (LOSP), e.g. preservatives containing heavy metals or creosote	50
		LOSP, boron and other light organic solvents recognised by the EPA to present lower environmental risk	8
for m		ee level (from 50 to 20 only) for onsite containment of the preservative aminated by a preservative used. The discount does not apply to LOSP, apply for this fee reduction?	
		s here (including how your operation meets the criteria) or as an attache	
Addi	tional information about fees is availabl	e at the EPA website: epa.sa.gov.au/business_and_industry/licences/licer	nce_fee_system
2.1	abrasive blasting	mobile	3
		other (blast booth > 5 cubic metres at a fixed site)	2
2.2	hot mix asphalt preparation	mobile	12
		other (fixed site)	8

Regulation reference	Prescribed activity	Characteristics Fee units pays	able
2.3	cement works	emitting 100 tonnes or more per year of particulates	50
		emitting less than 100 tonnes per year of particulates	20
2.4	ceramic works	production capacity > 100 tonnes per year	
		glass works emitting 25 tonnes per year or more of particulates	50
		brick works emitting 2 tonnes per year or more of fluorides	12
		other brick works or glass works	8
		other (e.g. pottery)	2
2.5	concrete batching works	mobile or otherwise, production capacity > 0.5 cubic metres per production cycle	2
2.6	drum reconditioning or treatment works		3
2.7	ferrous and non-ferrous metal melting	metal melting capacity > 500 kilograms per cycle more than 2500 kilograms VOC emissions per year and does not meet EPA requirements for odour. Refer: Environment Protection (Air Quality) Policy 2016 more than 2500 kilograms VOC emissions per year and meets EPA requirements for odour. Refer: Environment Protection (Air Quality) Policy 2016	50
		2500 kilograms per year or less of VOC emissions	4
2.8	metallurgical works		80
<u></u>	mineral works		12
2.10	pulp or paper works	production capacity > 100 tonnes per year	80
	surface coating works – metal finishing	producing > 5000 litres of effluent per day	8
	surface coating works	1000 kilograms per year or more of zinc emissions to air	12
<u> </u>	hot dip galvanising	100 kilograms or more but less than 1000 kilograms of zinc emissions to air	8
		less than 100 kilograms of zinc emissions to air	4
2.12.c	surface coating works – spray painting or powder coating	capacity > 100 litres of paint per day or 10 kilograms of powder per day	3
2.13	timber processing works	processing capacity > 4000 cubic metres per year	
		emitting 50 tonnes per year or more of particulates	12
		emitting less than 50 tonnes per year of particulates	3
2.14	maritime construction works	capacity to construct structures and mass > 80 tonnes	3
<u></u>	vehicle production	production capacity > 2000 motor vehicles per year	20
3.1.a&b	waste recovery facility	for the preliminary treatment of > 100 tonnes or 100 kilolitres of waste received per year	
		more than 200 000 tonnes per year received	77
		more than 100 000 tonnes but not more than 200 000 tonnes per year received	38
		more than 50 000 tonnes but not more than 100 000 tonnes per year received	20
		more than 20 000 tonnes but not more than 50 000 tonnes per year received	12
		more than 5000 tonnes but not more than 20 000 tonnes per year received	5
		more than 2000 tonnes but not more than 5000 tonnes per year received	3
		more than 1000 tonnes but not more than 2000 tonnes per year received	2

Regulation eference	Prescribed activity	Characteristics Fee units pays	abl
For Compreduction by means manures Yes Additiona	posting Works where the floor dist if they incorporate a system for p s, for example, of a suitable lining 8 to 3 fee units; and for any other	production capacity > 200 tonnes per year green waste only and distance to groundwater is 15 metres or less green waste only and distance to groundwater is greater than 15 metres animal manures (with or without green waste) only and distance to groundwater 15 metres or less animal manures (with or without green waste) only and distance to groundwater greater than 15 metres other waste (whether or not in addition to green waste or animal manures) and distance to groundwater less than 15 metres other waste (whether or not in addition to green waste or animal manures) groundwater greater than 15 metres tance to groundwater is 15 metres or less, Licensees may be entitled to a fee level breventing the contamination of groundwater by chemical substances in the compost under the compost. The level reductions are: green waste 4 to 2 fee units; animal kind of waste 12 to 4 fee units. Do you wish to apply for this fee reduction? This here (including how your operation meets the criteria) or as an attached document on the composition of the EPA website:	1
3.2.b	scrap metal treatment works	scrap metals are melted or disintegrated	- - - -
) 3.2.c	tyre waste treatment works	 > 5 tonnes tyre waste per year more than 200 000 tonnes per year received more than 100 000 tonnes but not more than 200 000 tonnes per year received more than 50 000 tonnes but not more than 100 000 tonnes per year received more than 20 000 tonnes but not more than 50 000 tonnes per year received more than 5000 tonnes but not more than 20 000 tonnes per year received more than 2000 tonnes but not more than 5000 tonnes per year received more than 1000 tonnes but not more than 2000 tonnes per year received 1000 tonnes per year or less received 	
3.2.d	waste lead acid battery treatment works	> 500 batteries per year	
3.2.e	any other waste reprocessing facility	> 100 tonnes or 100 kilolitres of waste treated per year more than 200 000 tonnes per year received more than 100 000 tonnes but not more than 200 000 tonnes per year received more than 50 000 tonnes but not more than 100 000 tonnes per year received more than 20 000 tonnes but not more than 50 000 tonnes per year received more than 5000 tonnes but not more than 20 000 tonnes per year received more than 2000 tonnes but not more than 5000 tonnes per year received	

Regulation reference	Prescribed activity	Characteristics Fee units pay	/able
Landfills complies The leve Do you Yes Addition	landfill depot - disposal to land s may move down a fee level in the fe s with the EPA Guidelines entitled 'E el reductions are 80 to 50, 50 to 20, 2 wish to apply for this fee reductio No If Yes, provide reasons	more than 200 000 tonnes per year received inert only more than 100 000 tonnes but not more than 200 000 tonnes per year received inert only more than 50 000 but not more than 100 000 tonnes per year received inert only more than 20 000 but not more than 50 000 tonnes per year received inert only more than 5000 but not more than 20 000 tonnes per year received inert only more than 2000 but not more than 5000 tonnes per year received inert only more than 1000 but not more than 5000 tonnes per year received inert only more than 1000 but not more than 2000 tonnes per year received inert only 1000 tonnes per year or less received inert only closed es schedule if they have a leachate and landfill gas management system that invironmental Management of Landfill Facilities – Solid Waste Disposal 2019'.	80 50 d 50 20 12 12 8 4 4 3 3 2 2 1 0
3.3.b	liquid waste depot	more than 100 000 kilolitres disposal to sewer or other offsite licensed wastewater treatment works	80 50
		more than 50 000 but not more than 100 000 kilolitres per year received disposal to sewer or other offsite licensed wastewater treatment works more than 20 000 but not more than 50 000 kilolitres per year received	50 20 20
		disposal to sewer or other offsite licensed wastewater treatment works more than 5000 but not more than 20 000 kilolitres per year received disposal to sewer or other offsite licensed wastewater treatment works	12 12 8
		more than 2000 but not more than 5000 kilolitres per year received disposal to sewer or other offsite licensed wastewater treatment works	8
		more than 1000 but not more than 2000 kilolitres per year received disposal to sewer or other offsite licensed wastewater treatment works	4
		1000 kilolitres or less per year received disposal to sewer or other offsite licensed wastewater treatment works	3 2
3.3.c	incineration depot	chemical waste	50
		medical, cytotoxic, quarantine waste	50
		solid municipal waste	50
		solid trade waste	50

egulation ference	Prescribed activity	Characteristics Fee units pay	abl
3.4.a	wastewater treatment works	located within the Mount Lofty Ranges Water Protection Area with a capacity to treat > 5 megalitres	
		500 megalitres or more of wastewater per year	8
		100 megalitres or more but less than 500 megalitres of wastewater per year	r į
		50 megalitres or more but less than 100 megalitres of wastewater per year	
		20 megalitres or more but less than 50 megalitres of wastewater per year	
		less than 20 megalitres per year of wastewater	
evaporati		may drop a fee level if wastewater is sustainably reused or disposed of to an e 80 to 50, 50 to 20, 12 to 8, 8 to 4 and 4 to 3 fee units. Do you wish to apply for	
Yes	No If Yes, provide reasons	s here (including how your operation meets the criteria) or as an attached documer	nt.
Additiona	l information about fees is available	at the EPA website: epa.sa.gov.au/business_and_industry/licences/licence_fee_system=	em –
			_ _ _
			_ _ _
3.4.b	wastewater treatment works	located outside the Mount Lofty Ranges Water Protection Area with a capacity to treat > 50 megalitres	
		1000 megalitres or more of wastewater per year	
		500 megalitres or more but less than 1000 megalitres of wastewater per year	r !
		100 megalitres or more but less than 500 megalitres of wastewater per year	r
		50 megalitres or more but less than 100 megalitres of wastewater per year	
		20 megalitres or more but less than 50 megalitres of wastewater per year	
		less than 20 megalitres per year of wastewater	
evaporati		may drop a fee level if wastewater is sustainably reused or disposed of to an e 80 to 50, 50 to 20, 12 to 8, 8 to 4, 4 to 3 and 3 to 2 fee units. Do you wish to	
Yes		s here (including how your operation meets the criteria) or as an attached documer	nt.
		at the EPA website: epa.sa.gov.au/business and industry/licences/licence fee syst	
, , , , , , , , , , , , , , , , , , , ,			•
			_
			_
			-
			_
			_
3.5.a	activities producing listed wastes	s medical waste only	
	The state of the s	more than 250 tonnes per year	
		more than 100 tonnes but not more than 250 tonnes per year	
		more than 5 tonnes but not more than 100 tonnes per year	
		() 5 tonnes or less per year	

Regulation reference	Prescribed activity	Characteristics Fee units pays	able
3.5.b	reception or storage of listed waste	more than 200 000 tonnes per year received more than 100 000 tonnes but not more than 200 000 tonnes per year received more than 50 000 tonnes but not more than 100 000 tonnes per year received more than 20 000 tonnes but not more than 50 000 tonnes per year received more than 5000 tonnes but not more than 20 000 tonnes per year received more than 2000 tonnes but not more than 5000 tonnes per year received more than 1000 tonnes but not more than 2000 tonnes per year received 1000 tonnes per year or less received	
3.5.c	treatment of listed waste	more than 200 000 tonnes per year received more than 100 000 tonnes but not more than 200 000 tonnes per year received more than 50 000 tonnes but not more than 100 000 tonnes per year received more than 20 000 tonnes but not more than 50 000 tonnes per year received more than 5000 tonnes but not more than 20 000 tonnes per year received more than 2000 tonnes but not more than 5000 tonnes per year received more than 1000 tonnes but not more than 2000 tonnes per year received more than 1000 tonnes but not more than 2000 tonnes per year received 1000 tonnes per year or less received	77
3.6.a	waste transport business (Category A) per vehicle Refer to Section 3 on page 4	transport of 40 litres or less of medical waste per trip transport waste excluding the transport of 40 litres or less of medical waste per trip	0.3
3.6.b	waste transport business (Category B) per vehicle Refer to Section 3 on page 4		0.9
4.1	Brukunga mine site		30
4.2.a	discharge during licence period of stormwater to underground aquifers by means other than a stormwater drainage system from land or premises situated in the area of the City of Mount Gambie		12
4.2.b	discharge during the licence period of stormwater to underground aquifers from a stormwater drainage system situated in the area of the City of Mount Gambier	stormwater drainage system > one hectare	12
4.2.c	discharge of stormwater to underground aquifers in Metropolitan Adelaide	stormwater drainage system > one hectare 50 megalitres or more per year discharged to aquifer 10 megalitres and up to 50 megalitres per year discharged to aquifer less than 10 megalitres per year discharged to aquifer	4 3 2
5.1	cattle feedlots	average of 500 cattle per day or in a Water Protection Area, 200 cattle per day	4

egulation eference	Prescribed activity	Characteristics Fee units pay	abl
5.3	saleyards	> 50 000 sheep equivalents per year	
		facility located within South East Water Protection Area and volume of effluent is 20 megalitres or more per year	1
		facility located within South East Water Protection Area and volume of effluent s less than 20 megalitres per year	
		facility located outside South East Water Protection Area and volume of effluent is 20 megalitres or more per year	t
		facility located outside South East Water Protection Area and volume of effluer is less than 20 megalitres per year	nt
5.4	piggeries	> 6500 SPUs at any one time or > 650 SPUs in a Water Protection Area	
		more than 200 000 kilograms per year of nitrogen production	1
		more than 100 000 kilograms but not more than 200 000 kilograms per year of nitrogen production	r
		more than 50 000 kilograms but not more than 100 000 kilograms per year of nitrogen production	•
		more than 20 000 kilograms but not more than 50 000 kilograms per year of nitrogen production	
		20 000 kilograms per year or less of nitrogen production	
	If nitrogen production from pigg per year per standard pig unit (geries is not measured, the recommended correlation is 10 kilograms of nitrogen produced (SPU).	
5.5	poultry farm comprising a broiler farm	where poultry shed/structure total area exceeds: 13 500m² or more but less than 27 000m²	
		27 000m² or more but less than 54 000m²	
		54 000m² or more	
6.1.a & b	meat processing works	production rate > 100 tonnes of meat products per year production rate > 200 tonnes of poultry products per year	
		together with rendering works producing 100 megalitres or more wastewater per year	2
		where all wastewater is discharged to a sewer or offsite licensed wasterwater treatment works or discharged in accordance with an effective prescribed environmental measure – refer to NOTE below	1
		together with rendering works producing less than 100 megalitres of	1
		wastewater per year not associated with a rendering works producing 100 megalitres or more	
		of wastewater per year where all wastewater is discharged to a sewer or offsite licensed	
		wasterwater treatment works where all wastewater is discharged in accordance with an effective prescribed environmental measure – refer to NOTE below	
		not associated with a rendering works producing less than 100 megalitres of wastewater per year	
Meat proce	essing works that achieving the	following specified limits may move down a fee level in the schedule.	
The levels • less than	to be achieved are: n 100 milligrams per litre of BOD	or biochemical oxygen demand (averaged over the licence period)	
	d grease level at 99% less than a 50 milligrams per litre of suspe	that of untreated wastewater nded solids (averaged over the licence period)	
		4 as indicated above. Do you wish to apply for this fee reduction?	
Yes	No If Yes, provide reas	sons here (including how your operation meets the criteria) or as an attached documen	nt.
Additional	information about fees is availa	ble at the EPA website: epa.sa.gov.au/business_and_industry/licences/licence_fee_syste	em

	Prescribed activity	Characteristics Fee units page	/able
6.2	breweries	production capacity > 5000 litres of beer per day	
		20 megalitres or more of wastewater produced per year, not to sewer or other offsite licensed wastewater treatment works	20
		less than 20 megalitres wastewater, not to sewer or other offsite licensed wastewater treatment works	4
		all wastewater disposed to sewer or other offsite licensed wastewater treatment works	3
6.4	fish processing works	disposing of wastewater to land (and not to marine or inland waters) during the licence period	4
		disposing, during the licence period, of all wastewater to a sewer or other offsite treatment works that are licensed or carried on under a licence or works not disposing of wastewater at all during the licence period	3
6.5	milk processing works	processing rate > 5 million litres per year	
		all wastewater not discharged to sewer or other offsite licensed wastewater treatment works	12
		all wastewater discharged to sewer or other offsite licensed wastewater treatment works	8
6.6.a	produce processing works – deep fat frying, roasting or drying	processing capacity > 30 kilograms per hour	4
6.6.b	produce processing works –	Olive processing	12
	more than 10 000 000 litres of wastewater (not to sewer or Community Wastewater Management System [CWMS])	other than olive processing	8
6.7	rendering or fat extraction works	processing capacity > 250 kilograms per hour	
O 511	· · · · · · · · · · · · · · · · · · ·	100 megalitres or more of wastewater produced per year	20
		where all wastewater is discharged to a sewer or other offsite licensed wastewater treatment works	12
		() less than 100 megalitres of wastewater produced per year	12
level in the less the an oil a	he schedule (from 20 1o 12 fee unit an 100 milligrams per litre of BOD (and grease level at 99% less than u	100 megalitres of wastewater during the licence period, may move down one fee s only) if they achieve the following specified limits: averaged over the licence period) ntreated wastewater	12
level in the less the an oil and less the less t	he schedule (from 20 10 12 fee unit an 100 milligrams per litre of BOD (and grease level at 99% less than u an 50 milligrams per litre of suspendant	100 megalitres of wastewater during the licence period, may move down one fee s only) if they achieve the following specified limits: averaged over the licence period) ntreated wastewater ded solids (averaged over the licence period)	12
level in the less the less the less the less the level	he schedule (from 20 10 12 fee unit an 100 milligrams per litre of BOD (and grease level at 99% less than u an 50 milligrams per litre of suspend el reduction is 20 to 12 fee units as in	100 megalitres of wastewater during the licence period, may move down one fee s only) if they achieve the following specified limits: averaged over the licence period) ntreated wastewater ded solids (averaged over the licence period) ndicated above Do you wish to apply for this fee reduction?	
level in the less the	he schedule (from 20 10 12 fee unit an 100 milligrams per litre of BOD (and grease level at 99% less than unan 50 milligrams per litre of suspender reduction is 20 to 12 fee units as in No If Yes, provide reasons	100 megalitres of wastewater during the licence period, may move down one fee s only) if they achieve the following specified limits: averaged over the licence period) ntreated wastewater ded solids (averaged over the licence period)	nt.
level in the less the level Yes Additional	he schedule (from 20 10 12 fee unit an 100 milligrams per litre of BOD (and grease level at 99% less than unan 50 milligrams per litre of suspender reduction is 20 to 12 fee units as in No If Yes, provide reasons	100 megalitres of wastewater during the licence period, may move down one fee s only) if they achieve the following specified limits: averaged over the licence period) ntreated wastewater ded solids (averaged over the licence period) ndicated above Do you wish to apply for this fee reduction? Is here (including how your operation meets the criteria) or as an attached docume	nt.
level in the less the level Yes Additional	he schedule (from 20 10 12 fee unit an 100 milligrams per litre of BOD (and grease level at 99% less than unan 50 milligrams per litre of suspender reduction is 20 to 12 fee units as in No If Yes, provide reasons	100 megalitres of wastewater during the licence period, may move down one fee s only) if they achieve the following specified limits: averaged over the licence period) ntreated wastewater ded solids (averaged over the licence period) ndicated above Do you wish to apply for this fee reduction? Is here (including how your operation meets the criteria) or as an attached docume	nt.
level in the less the less the less the less the less the less the level Yes Additional	he schedule (from 20 10 12 fee unit an 100 milligrams per litre of BOD (and grease level at 99% less than unan 50 milligrams per litre of suspender reduction is 20 to 12 fee units as in No If Yes, provide reasons	100 megalitres of wastewater during the licence period, may move down one fee s only) if they achieve the following specified limits: averaged over the licence period) ntreated wastewater ded solids (averaged over the licence period) ndicated above Do you wish to apply for this fee reduction? Is here (including how your operation meets the criteria) or as an attached docume	nt.
level in the less the an oil are less the The leve Yes Additional system	he schedule (from 20 10 12 fee unit an 100 milligrams per litre of BOD (and grease level at 99% less than usan 50 milligrams per litre of suspender reduction is 20 to 12 fee units as in No If Yes, provide reasons al information about fees is available	100 megalitres of wastewater during the licence period, may move down one fee s only) if they achieve the following specified limits: averaged over the licence period) intreated wastewater ded solids (averaged over the licence period) indicated above Do you wish to apply for this fee reduction? Is here (including how your operation meets the criteria) or as an attached docume at the EPA website: epa.sa.gov.au/business_and_industry/licences/licence_fee_	nt.
level in the less the	he schedule (from 20 10 12 fee unit an 100 milligrams per litre of BOD (and grease level at 99% less than usen 50 milligrams per litre of suspender reduction is 20 to 12 fee units as in No If Yes, provide reasons al information about fees is available curing or drying works	100 megalitres of wastewater during the licence period, may move down one fee s only) if they achieve the following specified limits: averaged over the licence period) ntreated wastewater ded solids (averaged over the licence period) ndicated above Do you wish to apply for this fee reduction? Is here (including how your operation meets the criteria) or as an attached docume e at the EPA website: epa.sa.gov.au/business_and_industry/licences/licence_fee_ processing capacity > 250 kilograms per hour processing > 5 tonnes per year of skins or hides volume of wastewater greater than 10 megalitres per year	nt.
level in the less the	he schedule (from 20 10 12 fee unit an 100 milligrams per litre of BOD (and grease level at 99% less than usen 50 milligrams per litre of suspender reduction is 20 to 12 fee units as in No If Yes, provide reasons al information about fees is available curing or drying works	100 megalitres of wastewater during the licence period, may move down one fee s only) if they achieve the following specified limits: averaged over the licence period) intreated wastewater ded solids (averaged over the licence period) indicated above Do you wish to apply for this fee reduction? Is here (including how your operation meets the criteria) or as an attached docume at the EPA website: epa.sa.gov.au/business_and_industry/licences/licence_fee_ processing capacity > 250 kilograms per hour processing > 5 tonnes per year of skins or hides	nt.
level in the less the	he schedule (from 20 10 12 fee unit an 100 milligrams per litre of BOD (and grease level at 99% less than usen 50 milligrams per litre of suspender reduction is 20 to 12 fee units as in No If Yes, provide reasons al information about fees is available curing or drying works	100 megalitres of wastewater during the licence period, may move down one fee s only) if they achieve the following specified limits: averaged over the licence period) ntreated wastewater ded solids (averaged over the licence period) ndicated above Do you wish to apply for this fee reduction? shere (including how your operation meets the criteria) or as an attached docume at the EPA website: epa.sa.gov.au/business_and_industry/licences/licence_fee_ processing capacity > 250 kilograms per hour processing > 5 tonnes per year of skins or hides volume of wastewater greater than 10 megalitres per year volume of wastewater 10 megalitres or less per year or all wastewater	nt.

Regulation reference	Prescribed activity	Characteristics Fee units pa	ayable
6.11.a	wineries or distilleries not in	processing > 500 tonnes per year of grapes	
	Mount Lofty Ranges Water Protection Area	more than 60 megalitres of wastewater produced per year (not to sewer or other offsite licensed wastewater treatment works)	50
		more than 20 megalitres but no more than 60 megalitres of wastewater produced per year (not to sewer or other offsite licensed wastewater treatment works)	20
		20 megalitres or less of wastewater produced per year (not to sewer or other offsite licensed wastewater treatment works)	4
Wineries		all wastewater discharged to sewer or other offsite licensed wastewater treatment works	3
a fee leve • less tha • less tha • more that The leve	el in the schedule. The levels to be an 100 mg/l BOD an 50 mg/l suspended solids nan 50% reduction of EC (electric reductions are 50 to 20, 20 to 12 No If Yes, provide reaso	D, suspended solids and salt by treatment (excluding dilution) can move down e achieved are: al conductivity) or TDS (total dissolved solids) load. and 4 to 3 fee units. Do you wish to apply for this fee reduction? Ins here (including how your operation meets the criteria) or as an attached docum e at the EPA website: epa.sa.gov.au/business_and_industry/licences/licence_fee_sy	
6.11.b	wineries or distilleries in	processing > 50 tonnes per year of grapes	
	Mount Lofty Ranges Water Protection Area	more than 60 megalitres of wastewater produced per year	50
		more than 10 megalitres but no more than 60 megalitres of wastewater produced per year (not to sewer or other offsite licensed wastewater treatment works)	20
		10 megalitres or less of wastewater produced per year (not to sewer or other offsite licensed wastewater treatment works)	8
		all wastewater disposed to sewer or other offsite licensed wastewater treatment works	4
a fee leve • less tha • less tha • an EC	el in the schedule. The levels to b an 100 mg/l BOD an 50 mg/l suspended solids or TDS load that is at least 50% le	D, suspended solids and salt by treatment (excluding dilution) may move down e achieved are: ower that that of the untreated wastewater. and 8 to 4 fee units. Do you wish to apply for this fee reduction?	
Yes		ns here (including how your operation meets the criteria) or as an attached docum	ent.
Additiona	I information about fees is available	e at the EPA website: epa.sa.gov.au/business_and_industry/licences/licence_fee_sy	stem
7.1	bulk shipping facilities	materials are handled at a rate > 100 tonnes per day	8
7.2	railway operations		8

Regulation reference	Prescribed activity	Characteristics Fee units pay	yable
7.3.a	7.3.a crushing, grinding or milling processing rate > 100 tonnes per year - chemicals or rubber		4
7.3.b	crushing, grinding or milling	processing rate > 500 tonnes per year	
	 agricultural crop products 	olive processing (whether or not mobile)	12
		where all wastewater is discharged to a sewer or other offsite licensed wastewater treatment works	3
		mobile (other than olive processing)	8
		other (i.e. not mobile and not olive processing)	4
7.3.c	crushing, grinding or milling – rock ores or minerals	processing rate > 1000 tonnes per year	4
7.4	dredging	state the total number of days of dredging for the next 12 months 1 fee unit pe (to be assessed with submitted register)	r day
7.5	coal handling and storage	holding capacity > 100 tonnes per day or storage capacity > 5000 tonnes	3
7.6	earthworks drainage	discharge of > 100 kilolitres of wastewater containing 0.25 fee units pe > 25 milligrams of suspended solids per litre (to be assessed with submitted register)	r day
7.7	extractive industries	production > 100 000 tonnes per year	
		within the Mount Lofty Ranges Water Protection Area	4
		in any other area	3
8.1	aerodromes	> 20 000 flight movements per year	3
8.2.a.i	fuel burning coal or timber	heat release rate > 5 megawatts	
		located within Adelaide airshed with emissions of 500 tonnes or more per year of nitrogen oxides	80
		located within Adelaide airshed with emissions of 30 tonnes or more but less than 500 tonnes per year of nitrogen oxides	50
		located within Adelaide airshed with emissions below 30 tonnes per year of nitrogen oxides	12
		located outside Adelaide airshed with nitrogen oxide emissions of 500 tonnes or more per year	50
		located outside Adelaide airshed with emissions of 30 tonnes or more but less than 500 tonnes per year of nitrogen oxides	12
		located outside Adelaide airshed with emissions below 30 tonnes per year of nitrogen oxides	4
8.2.a.ii	fuel burning not coal or timber	heat release rate > 5 megawatts	
		located within Adelaide airshed with emissions of 500 tonnes or more per year of nitrogen oxides	50
		located within Adelaide airshed with emissions of 30 tonnes or more but less than 500 tonnes per year of nitrogen oxides	20
		located within Adelaide airshed with emissions below 30 tonnes per year of nitrogen oxides	8
		located outside Adelaide airshed with emissions of 500 tonnes or more per year of nitrogen oxides	20
		located outside Adelaide airshed with emissions of 30 tonnes or more but less than 500 tonnes per year of nitrogen oxides	8
		located outside Adelaide airshed with emissions below 30 tonnes per year of nitrogen oxides	3
		internal combustion engines using diesel for less than 25 hours per year	1
8.2.b	fuel burning – stove enamel or baking or drying materials	heat release rate > 500 kilowatts	3
8.3	helicopter landing facilities		1

	Prescribed activity	Characteristics Fee units p	ayable
8.4	marinas and boating facilities	storage for ≥ 50 powered vessels providing moorings or dry storage for vessels	2
		capacity to handle 5 or more vessels or vessels of 12 metres or more in length providing repair and maintenance facilities	3
8.5	motor racing or testing venues	< 200 metres from residential properties	3
8.6	shooting ranges	< 200 metres from residential properties	1
8.6.a.i	desalination plants discharging	for discharges > 2 megalitres but ≤ 1000 megalitres per year	5
	wastewater to marine environmen	t for discharges > 1000 megalitres but ≤ 10 000 megalitres per year	12
		for discharges > 10 000 megalitres per year	30
8.6.a.ii	desalination plants discharging	for discharges > 2 megalitres but ≤ 50 megalitres per year	4
	to a wastewater lagoon	for discharges > 50 megalitres but ≤ 500 megalitres per year	6
		for discharges > 500 megalitres per year	12
		of the fee levels shown below if they can demonstrate that they meet any of the	
(A) if the	ction criteria as follows: e licensee satisfies the EPA of the ex on. The level reductions are 4 to 1, 6	xistence of effective class 1, 2 and 3 prescribed environmental measures for the 6 to 3 and 12 to 9 fee units	
(B) if the		xistence of effective class 2 and 3 prescribed environmental measures for the	
(C) if the		xistence of an effective class 1 prescribed environmental measure for the lagoor	١.
For clarit		Measures refer to the Environment Protection Regulations 2023, Schedule 2, 8	3(2)(h).
Addition	al information about fees is availabl	e at the EPA website: epa.sa.gov.au/business_and_industry/licences/licence_fee_sy	
8.6.a.iii			
	desalination plants discharging to inland waters or land	for discharges > 2 megalitres but ≤ 50 megalitres per year for discharges > 50 megalitres but ≤ 500 megalitres per year	4 6
		for discharges > 50 megalitres but ≤ 500 megalitres per year	
below if	to inland waters or land (other than to a wastewater lagoon) ution plants discharging to land other they can demonstrate that they mee	for discharges > 50 megalitres but ≤ 500 megalitres per year for discharges > 500 megalitres per year r than to a wastewater lagoon may move down to one of the fee levels shown et the following fee reduction criteria:	6
below if the lice	to inland waters or land (other than to a wastewater lagoon) ation plants discharging to land other they can demonstrate that they mee censee satisfies the EPA of the exist	for discharges > 50 megalitres but ≤ 500 megalitres per year for discharges > 500 megalitres per year r than to a wastewater lagoon may move down to one of the fee levels shown et the following fee reduction criteria: tence of an effective class 4 prescribed environmental measure for the	6
below if the lice discharter than the below if the lice discharter than the below in the below if the below is the below is the below if the below is the below if the below is the below in the below is the below is the below is the below is the below in the below is the below is the below is the below is the below in the below is the below is the below is the below is the below in the below is the below is the below is the below is the below in the below is the below is the below is the below is the below in the below is the below i	to inland waters or land (other than to a wastewater lagoon) ation plants discharging to land other they can demonstrate that they mee censee satisfies the EPA of the exist ge. The level reductions are 4 to 3, fication of Prescribed Environmental	for discharges > 50 megalitres but ≤ 500 megalitres per year for discharges > 500 megalitres per year r than to a wastewater lagoon may move down to one of the fee levels shown et the following fee reduction criteria: tence of an effective class 4 prescribed environmental measure for the 6 to 5 and 12 to 11 fee units. I Measures refer to the Environment Protection Regulations 2023, Schedule 2, 8	6 12
below if the lie dischar For clarit Do you	to inland waters or land (other than to a wastewater lagoon) ation plants discharging to land other they can demonstrate that they meet censee satisfies the EPA of the existinge. The level reductions are 4 to 3, fication of Prescribed Environmental wish to apply for this fee reduction. No If Yes, provide evidence.	for discharges > 50 megalitres but ≤ 500 megalitres per year for discharges > 500 megalitres per year r than to a wastewater lagoon may move down to one of the fee levels shown et the following fee reduction criteria: tence of an effective class 4 prescribed environmental measure for the 6 to 5 and 12 to 11 fee units. I Measures refer to the Environment Protection Regulations 2023, Schedule 2, 8	6 12 8(2)(h) ment.
below if the lid dischar For clarit Do you	to inland waters or land (other than to a wastewater lagoon) ation plants discharging to land other they can demonstrate that they meet censee satisfies the EPA of the existinge. The level reductions are 4 to 3, fication of Prescribed Environmental wish to apply for this fee reduction. No If Yes, provide evidence.	for discharges > 50 megalitres but ≤ 500 megalitres per year for discharges > 500 megalitres per year r than to a wastewater lagoon may move down to one of the fee levels shown at the following fee reduction criteria: tence of an effective class 4 prescribed environmental measure for the 6 to 5 and 12 to 11 fee units. I Measures refer to the Environment Protection Regulations 2023, Schedule 2, 8 on? e here (including how your operation meets the criteria), or as an attached document.	6 12 8(2)(h) ment.
below if the lid dischar For clarit Do you	to inland waters or land (other than to a wastewater lagoon) ation plants discharging to land other they can demonstrate that they meet censee satisfies the EPA of the existinge. The level reductions are 4 to 3, fication of Prescribed Environmental wish to apply for this fee reduction. No If Yes, provide evidence.	for discharges > 50 megalitres but ≤ 500 megalitres per year for discharges > 500 megalitres per year r than to a wastewater lagoon may move down to one of the fee levels shown at the following fee reduction criteria: tence of an effective class 4 prescribed environmental measure for the 6 to 5 and 12 to 11 fee units. I Measures refer to the Environment Protection Regulations 2023, Schedule 2, 8 on? e here (including how your operation meets the criteria), or as an attached document.	6 12 8(2)(h) ment.
below if the lid dischar For clarit Do you Yes Additiona	to inland waters or land (other than to a wastewater lagoon) ation plants discharging to land other they can demonstrate that they meet censee satisfies the EPA of the exist ge. The level reductions are 4 to 3, fication of Prescribed Environmental wish to apply for this fee reduction. No If Yes, provide evidence al information about fees is available discharges to marine or inland waters	for discharges > 50 megalitres but ≤ 500 megalitres per year for discharges > 500 megalitres per year r than to a wastewater lagoon may move down to one of the fee levels shown that the following fee reduction criteria: tence of an effective class 4 prescribed environmental measure for the 6 to 5 and 12 to 11 fee units. I Measures refer to the Environment Protection Regulations 2023, Schedule 2, 8 on? e here (including how your operation meets the criteria), or as an attached document at the EPA website: epa.sa.gov.au/business_and_industry/licences/licence_fee_s discharges of 100 megalitres per year or more discharges of more than 10 megalitres per year but less	6 12 8(2)(h) ment. system
below if the lid dischar For clarit Do you Yes Additiona	to inland waters or land (other than to a wastewater lagoon) ation plants discharging to land other they can demonstrate that they meet censee satisfies the EPA of the existing. The level reductions are 4 to 3, fication of Prescribed Environmental wish to apply for this fee reduction. No If Yes, provide evidence al information about fees is available discharges to marine.	for discharges > 50 megalitres but ≤ 500 megalitres per year for discharges > 500 megalitres per year r than to a wastewater lagoon may move down to one of the fee levels shown at the following fee reduction criteria: tence of an effective class 4 prescribed environmental measure for the 6 to 5 and 12 to 11 fee units. I Measures refer to the Environment Protection Regulations 2023, Schedule 2, 8 on? e here (including how your operation meets the criteria), or as an attached docu e at the EPA website: epa.sa.gov.au/business_and_industry/licences/licence_fee_s discharges of 100 megalitres per year or more	6 12 8(2)(h) ment. system

Regulation reference	Prescribed activity	Characteristics	Fee units payable
8.9.a	pumped hydroelectricity works in a water protection area	Category 1 –1200 milligrams of TDS per litre or r Category 2 – less than 1200 milligrams of TDS per Other – 1200 milligrams of TDS per litre or more	r litre with acid rock drainage 34 and no acid rock drainage 26
		Other – less than 1200 milligrams of TDS per litre nat can demonstrate they have approved lining and leaken to one of the fee levels shown here: and 23 to 12 fee units.	
	hydroelectricity works or facilities the servoir system may move down to constant 26 to 15 and 23 to 12 fee units		detection systems for their
Yes		on? there (including how your operation meets the criteria), at the EPA website: epa.sa.gov.au/business_and_indus	
8.9.b	pumped hydroelectricity works	output capacity > 30MW	
Pumped	outside a water protection area hydroelectricity works or facilities the servoir system may move down to compare the servoir system may may may may may may may may may ma	Category 1 –1200 milligrams of TDS per litre or r Category 2 – less than 1200 milligrams of TDS per Other – 1200 milligrams of TDS per litre or more Other – less than 1200 milligrams of TDS per litre nat can demonstrate they have approved lining and leakage of the fee levels shown here:	r litre with acid rock drainage 31 and no acid rock drainage 23 e and no acid rock drainage 20
	 34 to 23, 31 to 20, 23 to 12 an hydroelectricity works or facilities the servoir system may move down to c 23 to 12 and 20 to 9 fee units. 	nat can demonstrate they do not require lining and leak	detection systems for their
Yes		on? there (including how your operation meets the criteria), e at the EPA website: epa.sa.gov.au/business_and_indus	

ATTACHMENTS

ur application cannot be processed until the relevant information has been provided as listed below. Please tick the attachments you have supplied.		
	For Bodies Corporate – ASIC registered or historical company extract.	
	Development Consent Notice or planning approval in full (including conditions).	
	Copy of Certificate(s) of Title for the premises (not required for mobile operations).	
	Premises map (not required for obile operations).	
	Management Plan/Impact Statement (if applicable).	
	Other (include supporting documentation).	

INFORMATION ONLY

Resource Efficiency Fee

A Licensee with emissions above threshold levels as outlined in Table 1 and 2 will pay a fee for each pollutant known as the Resource Efficiency Fee (REF).

If you report to the National Pollutant Inventory (NPI), you may consent for your NPI data to be used to calculate REF. There is also the option of providing alternative data such as newer monitoring data. There are some REF pollutants that have a lower threshold than NPI reporting requirements. If you fall below NPI reporting levels, but exceed these thresholds then the data for these substances must be provided with your Annual Return. Please note that heat, suspended solids and organic matter as biochemical oxygen demand (BOD) and salt discharged in the operation of a desalination plant are REF substances which are not part of the NPI.

Prior to the first anniversary of your licence the EPA will issue a letter requiring completion of an Annual Return or Renewal. The forms will ask for consent to use NPI data and for you to provide emissions for any REF pollutants that have tripped the threshold level.

Table 1: Air pollutant emission threshold levels

Pollutant	Emission threshold level per pollutant per year
sulphur dioxide, nitrogen oxides	10 tonnes
particulates (PM10), volatile organic compounds	1 tonne
lead	0.1 tonne

Table 2: Water pollutant emission threshold levels

Pollutant	Emission threshold level per pollutant per year
heat	10 MW (megawatts)
suspended solids, total nitrogen, zinc, total phosphorus, organic matter as BOD	1 tonne
lead, copper	0.1 tonne
salt, desalination plant only	>75 000 tonnes per year to marine waters. Any salt discharged into any other waters that have a background concentration of salt of 13 000mg total dissolved solids per litre or less

For clarification (or further information) regarding NPI and REF impacts, contact the SA NPI team – Tel. (08) 8204 9095 or email: npi@sa.gov.au

PART C: PAYMENT

Application fee

A fee mad	de up of the following must be submitted with this form				
1. The Lo	odgement Fee (this fee value is current to 30 June 2025)		\$ 2	245.00	
2. An Ass	sessment Fee comprised of one or more of the following compone	nts:			
	Dredging fee of \$833.00		\$	•	
	Earthworks Drainage fee of \$833.00		\$	•	
	Waste Transporter (Category A) fee of \$98.00		\$	•	
	and / or				
	Waste Transporter (Category B) fee of \$49.00		\$	•	
	ner selected activities chosen in Part B of this application form, f the identifited fee unit value for the highest activity selected, i.e.				
	Fee units selected x \$964 x 20% equals		\$	·	
	Example: Fee units payable 4 x \$964 x 20% = \$771.20				
Total an	nount payable for this application is the sum of Parts	1, 2 and 3 above:	\$		
Payment by	mail				
Make che Do not inc	eques or money orders payable to Environment Protection A clude bank notes or coins. payment to: Environment Protection Authority GPO Box 260	•		gotiable'.	
•					
Payment by	card				
Visa					
() Maste	ercard				
Card numb	per				
CVV (last 3	3 digits)				
Expiry date	9				
Cardholder	r's name				
Cardholder	r's signature				
Odranolaci	1 o signature				
16				A 41 141	
If you are Assessme	unsure of the requirements of this Licence Appent Fees, contact the Licensing Team (08) 8204	olication with resp 2058.	ect to	Activities ar	ıd

Further information regarding this Licence Application and the Assessment Fee component is available on the EPA Website: epa.sa.gov.au/business_and_industry/licences/licence_fee_system

Should your Application be granted, an invoice for payment of the annual licence fee will be sent to you. This invoice will also include an advertising fee for public notices under Regulation 26 (3).

DECLARATION

If the applicant is:

- 1. A company, body corporate or proprietary company the following must sign this declaration:
 - a director and/or the company secretary and/or a person appointed as a responsible officer.
- 2. A natural person(s):
 - each person or a person legally authorised by the applicant must sign this declaration.
- 3. A statutory body:
 - a person whom the Minister has authorised must sign this declaration.
- 4. An incorporated association:
 - a person(s) who is authorised under the rules of that association.

For government departments that do not involve a statutory body, the Minister or a person whom the Minister has authorised must sign this declaration.

For joint applications, all parties must sign this declaration.

I/we hereby declare that the information provided in this application and accompanying documents, to the best of my knowledge, is true and correct.

a.	Name
	Signature
	Position of signatory
	Date
b.	Name
	Signature
	Position of signatory
	Date
C.	Name
	Signature
	Position of signatory
	Date

Note that a maximum penalty of up to \$60 000 applies for providing false or misleading information.



South Australia

The Licensing Team **Environment Protection Authority** GPO Box 2607 ADELAIDE SA 5001

Freecall (outside metro): 1800 623 445

Tel: (08) 8204 2058

Email: epalicensing@sa.gov.au Website: www.epa.sa.gov.au